

Problem Solving

Removal of Adhesive / Mastic

PROTECTING YOUR INVESTMENT: The timeless beauty and inherent durability of natural stone makes it a favorite surfacing material for designers, architects and homeowners. Because of geological composition, certain stones may require different care and maintenance techniques. To remove adhesive or mastic, the following guidelines are recommended:

Purpose: To remove adhesive or tile mastic from tile or stone surfaces.

Product Recommendation: Aqua Mix Sealer & Coating Remover.

Equipment: Scrub brush or nylon scrub pad, scraper and white cotton towels.

Coverage: Approximately 75 - 100 sq. ft. (7 m² – 10 m²) per gallon (3.785 L).

Procedure:

- » Always test a small area first to ensure satisfactory results.
- » Sweep or vacuum surface.
- » Apply Sealer & Coating Remover to a small manageable area up to 25 sq. ft. (2.5 m²).
- » Allow to dwell up to 2 hours without drying or until coating or residue softens.
- » Agitate with scrub brush or nylon scrub pad. A scraper may be used for removal of thick residue.
- » If necessary, apply additional remover or sprinkle with hot water and agitate with a scrub brush.
- » Remove residue and wipe surface dry using clean, absorbent white cotton towels.
- » Rinse thoroughly with clean water.
- » Repeat procedure if necessary.

Considerations:

- » Do not use on synthetic agglomerate or other resinous surfaces.
- » Sealer & Coating Remover will remove sealers and wax-type coatings.

This recommendation is intended as a general guideline for the removal of adhesive/mastic. The actual removal requirements may vary depending on the method of application, temperature and amount of adhesive/mastic to be removed. Keep surface clean and dry to reduce possibility of slip-fall accidents. **READ PRODUCT DIRECTIONS THOROUGHLY PRIOR TO USE. ALWAYS TEST FIRST.**

Aqua Mix Technical Assistance:

- » Call 877.278.2311 Monday - Friday, 6:00 am to 4:30 pm or Saturday, 7:00 am to 12:00 pm Pacific time.
- » Visit website at www.aquamix.com
- » E-mail technical questions to tech@aquamix.net